

Latham Asbrabronz™ Brass SB Bevelled Edge Safety Stair Tread Nosing Data Sheet TYPE-B775SB



ASBRABRONZ B775SB (CACTUS GREEN)

Λ - Denotes Factory Drilling Location





PRODUCT DETAILS - B775SB

Bevelled edge stair tread nosings are designed for new applications where pedestrian safety, stair tread appearance and longevity is of particular concern. They are suitable for both internal and external applications and are designed for installation with carpet or vinyl applications.

FEATURES

- P5 Slip Classification
- · Super hard wearing.
- Abrasive Silicon Carbide Mineral Insert.
- 13 insert colours available
- Luminance Reflective Value (LRV)
- · Available factory curved
- UV Stable

MATERIALS

Standard Supply: Cut to site required lengths, complete with countersunk holes, stainless steel screws and plastic plugs, or in full 4600mm lengths Brass: Alloy 380 UNS - C38010, Mill Finish Inserts: Supagrit™ (Standard - Brown) Silicon Carbide

Inserts: Supagrit™ (Standard - Brown) Silicon Carbide Mineral Inserts.

COMPLIANCE

- Wet Slip Test: Mean British Pendulum (SRV) Classification - P5
- Oil Wet Ramp Test: Slip Resistant Acceptance Group - R12
- Tested to Australian Standard ISO 9239 Reaction to Fire Test for Flooring.

FURTHER TECHNICAL SPECIFICATIONS

- Website Link PDF and DWG Details
- Stair Tread Installation Instructions
- <u>Luminance Contrast Information</u>
- Slip Resistant Testing Information
- <u>Code Compliance Information</u>
- Colour Range Information
- Fire Test Information
- Adhesive Technical Data Sheet
- <u>Full Product Catalogue</u>
- Maintenance Guide
- Photo Gallery
- Accessories Guide
- Warranty

